L Number	Hits	Search Text	DB	Time stamp
-	22685	receiv$4 with signal$5 with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:04
-	0	(queue adj ocupancy adj level) same (queue with occupancy with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:53
-	0	(queue adj ocupancy adj level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:53
-	0	(queue with ocupancy with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	0	(queue adj occupancy adj level) same (first adj queue adj occupancy adj threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	0	(queue adj occupancy adj level) same (first with queue with occupancy with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	2	((queue with occupancy with level)) and (occupancy adj threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	52	(queue with occupancy with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	38	((queue with occupancy with level)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	0	(((queue with occupancy with level)) and threshold) and (receiv$4 with signal$5 with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	0	(receiv$4 with signal$5 with message) and ((queue with occupancy with level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:57
-	3968	(receiv$4 with signal$5 with message) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:58
-	118	(receiv$4 with signal$5 with message) and (threshold same queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:03
-	100	((receiv$4 with signal$5 with message) and (threshold same queue)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/07/11 18:05

-		93	(((receiv$4 with signal$5 with message) and (threshold same queue)) and @ad<=19990208) and first and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:06
-		30	(((receiv$4 with signal$5 with message) and (threshold same queue)) and @ad<=19990208) and ((first and second) with queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:56
-		91	call adj signaling adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:33
-		55	(call adj signaling adj message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:01
-		0	((call adj signaling adj message) and @ad<=19990208) and ((queue with occupancy with level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:59
-		3	((call adj signaling adj message) and @ad<=19990208) and (queue with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:59
-		6	((call adj signaling adj message) and @ad<=19990208) and queue and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:01
-		7	(call adj signaling adj message) and queue and (occupancy or level) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:34
-		781	McCormick.in.	USPAT	2002/07/11 19:35
-		0	(dispensable and indispensable and essential) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/14 13:03
-		0	(dispensable and indispensable and essential) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/14 13:03
-		3	(dispensable and indispensable and essential) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:31
-		0	(dispensable and indispensable) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32
-		51	(dispensable or indispensable) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32
-		731	(dispensable or indispensable or essential) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32

-	43	(dispensable or indispensable or essential) adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:33
-	678	((dispensable or indispensable or essential) with message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:04
-	21	(((dispensable or indispensable or essential) with message) and @ad<=19990208) and call and enqueue and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:10
-	2	((((dispensable or indispensable or essential) with message) and @ad<=19990208) and call and enqueue and queue) and signaling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:11
-	23532	type with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:06
-	18996	(type with message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:06
-	218	((type with message) and @ad<=19990208) and (queue same threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:14
-	39	(((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:10
-	7	((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process$4)) and occupancy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:11
-	4	((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process$4)) and enqueu$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 16:51
-	0	threshold with enqueu$4 with message with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:16
-	1	threshold with queue with message with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:16
-	2251	mccormick.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:52
-	5	mccormick.in. and message and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:52

-	4	((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process$4)) and enqueu$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 16:03
-	2	dispensable adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:37
-	195	message with drop$4 with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:38
-	45	(message with drop$4 with communication) and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:38
-	1	(US-6134216-$).did.	USPAT	2002/07/16 19:37
-	1	6134216.PN. and (call or process$4 or module or queue)	USPAT	2002/07/16 19:38
-	1	((US-6134216-$).did.) and (call or process$4 or module or queue)	USPAT	2002/07/16 19:40
-	1	((US-6134216-$).did.) and (process$4 same module same queue)	USPAT	2002/07/16 19:41
-	0	overlaoding same (dequeu$5 with message) same queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	0	overlaoding and (dequeu$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	0	overlaod and (dequeu$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	300	(dequeu$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:06
-	255	((dequeu$5 with message) and queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:06
-	14	(((dequeu$5 with message) and queue) and @ad<=19990208) and FIFO and LIFO	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:18
-	444	overloading and (dequeuing adj message) (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:19
-	0	overloading and (dequeuing adj message) and (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/07/17 11:21

-	0	(dequeuing adj message) same (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:21
-	0	(dequeuing and message) same (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:21
-	10	(dequeuing and message) and (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:22
-	8	((dequeuing and message) and (processing adj queue)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:06
-	0	(at adj least adj one) with (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:07
-	0	(at adj least adj one) same (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:08
-	56	(at adj least adj one) and (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:08
-	8	(at adj least adj one) and (FIFO same LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:13
-	6	((at adj least adj one) and (FIFO same LIFO)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:15
-	406	FIFO with LIFO	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:16
-	337	(FIFO with LIFO) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:16
-	5	(FIFO with LIFO) same dequeue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:01
-	2740	type with (call or signaling) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:22
-	2	(type with (call or signaling) with message) and (enqueuing with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:03

-	13571	type near3 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:24
-	15	(type near3 message) with (enque$5 with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:36
-	2	plurality with dequeu$4 with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:37
-	2	(plurality with dequeu$4 with list) and @ad<=199900208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:40
-	0	((plurality with dequeu$4 with list) and @ad<=199900208) and (track with location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:40
-	67	track with location with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:43
-	55	(track with location with queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:41
-	2	track with location with queue with call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:41
-	2	(track with location with queue with call) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:42
-	487430	track with3 location with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:43
-	35	(track near3 location) with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:47
-	26	((track near3 location) with queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:44
-	1	(track near3 location) with (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:46
-	1	(list near3 track near3 location) with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:47